

Pecora-Deck 800 Series Coverage Chart

Application	Primer – 808 ¹	Base Coat – 802 ¹	Intermediate Coat – 804 ¹	Top Coat – 806 ¹
Pedestrian	250 to 300	50	None	100
HD Pedestrian	250 to 300	50	80	80
Vehicular	250 to 300	50	100 ²	100
HD Vehicular	250 to 300	50	100 X 2	100
Mech. / Equip. Rm.	250 to 300	50	None	100
Tennis Deck	250 to 300	50	None	200 1 st & 2 nd coat 150 on final coat
Elevated Pool Deck	250 to 300	50	None	200 1 st 150 on final coat

1 – Square feet per gallon

2 – Apply 2nd Intermediate coat to driving surfaces , ramps and high wear areas

Typical Aggregate Application and Coverage

Application	Mesh Size	Application To:	Coverage ³
Pedestrian	35 to 65	Top Coat	8-10
HD Pedestrian	35 to 65	Intermediate Coat	15-25
Vehicular	16 ^{1st} /20 ^{2nd}	2 Intermediate Coats	10-1st Int. coat (15-25 -2nd Intermed. Coat)
HD Vehicular	16 ^{1st} /20 ^{2nd}	2 Intermediate Coats	10-1st coat (15 to 25 -2nd Coat)
Mech. / Equip. Rm.	30	Top Coat	10
Tennis Deck	80 to 100	1 st and 2 nd Top Coat	25
Elev. Pool	80 to 100	1 st Top Coat	25

³ Lbs./ square foot

Please refer to specific instruction sheet for each application.

Available at the following link: <http://www.pecora.com/Productcat.asp?CatsId=16>