

# Material Safety Data Sheet

Date last revised April, 2001

<b>I. GENERAL INFORMATION</b>		
Chemical Name & Synonyms MULTI-COMPONENT SILICONE SEALANT	Trade Name & Synonyms 985 SILICONE BASE	
Chemical Family SILICONE	Formula MIXTURE	
Proper DOT Shipping CAULKING COMPOUND	DOT Hazard Classification NONE	
Manufacturer PECORA CORPORATION	Manufacturer's Phone Number 215-723-6051	
Manufacturer's Address 165 Wambold Road, Harleysville, PA 19438	Chemtrec Phone Number 800-424-9300	
<b>II. INGREDIENTS</b>		
Principal Hazardous Components CALCIUM CARBONATE (CAS # 1317-65-3)	Percent 40	Threshold Limit Value (Units) 10 Mg/M <sup>3</sup>
FUMED SILICA (CAS # 7631-86-9)	3	10 Mg/M <sup>3</sup>
THIS PRODUCT DOES NOT CONTAIN ANY INGREDIENTS, WHICH ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III.		
HEALTH 1	FLAMMABILITY 0	REACTIVITY 0
<b>III. PHYSICAL DATA</b>		
Boiling Point (°F) UNKNOWN	Specific Gravity (H <sub>2</sub> O = 1) 1.2	
Vapor Pressure (mm Hg.) N/A	Percent Volatile by Volume (%) UNKNOWN	
Vapor Density (Air = 1) HEAVIER	Evaporation Rate (ETHER = 1) SLOWER	
Solubility in Water INSOLUBLE	pH N/A	
Appearance & Odor WHITE PASTE – SLIGHT ODOR		
<b>IV. FIRE &amp; EXPLOSION HAZARD DATA</b>		
Flash Point (Test Method) > 200° F. T. C. C.	Auto Ignition Temperature N/A	
Flammable Limits	LEL UNKNOWN	UEL UNKNOWN
Extinguishing Media: WATER SPRAY, DRY CHEMICAL OR CO <sub>2</sub>		
Special Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES INVOLVING CHEMICALS.		
Unusual Fire & Explosion Hazards: NONE KNOWN		

**V. Health Hazard Data**

OSHA Permissible Exposure Limit SEE SECTION II	ACGIH Threshold Limit Value SEE SECTION II
Carcinogen – NTP Program NO	Carcinogen – IARC Program NO
Symptoms of Exposure: VAPORS EMITTED AS THE SEALANT CURES MAY IRRITATE THE EYES, NOSE, AND THROAT PARTICULARLY IN AN ENCLOSED OR POORLY VENTILATED AREA. DIRECT CONTACT WITH THE UNCURED MATERIAL MAY IRRITATE THE EYES AND MOUTH.	
Medical Conditions Aggravated By Exposure: PRECLUDE FROM EXPOSURE THOSE INDIVIDUALS HAVING A HISTORY OF RESPIRATORY ILLNESS OR PRE-EXISTING EYE OR SKIN CONDITIONS.	
Primary Route (s) of Entry: INHALATION AND SKIN OR EYE CONTACT	
Emergency First Aid: INHALATION: MOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN. SKIN: REMOVE MATERIAL AND WASH WITH SOAP AND WATER. EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES.	

**VI. REACTIVITY DATA**

Stability		Unstable	Conditions to Avoid
	X	Stable	WATER AND HIGH TEMPERATURES
Incompatibility			Materials to Avoid WATER AND STRONG ACIDS
Hazardous		May Occur	Conditions to Avoid
	X	Will Not Occur	HIGH HUMIDITY AND HIGH TEMPERATURES
Polymerization			
Hazardous Decomposition Products: OXIDES OF CARBON, SILOXANE AND POSSIBLY OTHER FUMES WHICH MAY BE TOXIC.			

**VII. ENVIRONMENTAL PROTECTION PROCEDURES**

Spill Response: COVER WITH DRY ABSORBENT MATERIAL SUCH AS SAND OR DIRT. PICK UP AND PLACE IN A CONTAINER FOR DISPOSAL.

Waste Disposal Method: LAND FILL OR INCINERATE IN ACCORDANCE WITH FEDERAL, STATE OR LOCAL ENVIRONMENTAL REGULATIONS.

**VIII. SPECIAL PROTECTION INFORMATION**

Eye Protection GLASSES OR GOGGLES IF NECESSARY	Skin Protection NONE NORMALLY REQUIRED
Respiratory Protection (Specific Type) ORGANIC VAPOR RESPIRATOR IN CONFINED AREA	Ventilation Recommended LOCAL VENTILATION
Other Protection: SAFETY GLASSES FOR OVERHEAD APPLICATIONS.	

**IX. SPECIAL PRECAUTIONS**

Hygienic Practices In Handling & Storage: TO PROLONG SHELF LIFE, STORE AT TEMPERATURES BELOW 80° F. WASH HANDS AFTER USE. STORE IN DRY AREA AWAY FROM HEAT.

Precautions For Repair & Maintenance of Contaminated Equipment:  
SEE SECTION V

Other Precautions:

**KEEP OUT OF REACH OF CHILDREN!!!!**