

Material Safety Data Sheet

Date last revised JANUARY, 2004

I. GENERAL INFORMATION		
Chemical Name & Synonyms AROMATIC ISOCYANATE	Trade Name & Synonyms 804 INTERMEDIATE COAT	
Chemical Family URETHANE	Formula MIXTURE	
Proper DOT Shipping PAINT RELATED MATERIAL	DOT Hazard Classification FLAMMABLE LIQUID	
Manufacturer PECORA CORPORATION	Manufacturer's Phone Number 215-723-6051	
Manufacturer's Address 165 Wambold Road, Harleysville, PA 19438	Chemtrec Phone Number 800-424-9300	
II. INGREDIENTS		
Principal Hazardous Components (CAS # 64742-47-8) DISTILLATES (PETROLEUM), HYDROTREATED LIGHT	Percent 10 - 20 %	Threshold Limit Value (Units) 300 PPM
SOLVENT NAPHTHA (PETROLEUM), HEAVY AROMATIC (CAS # 64742-94-5)	5 - 10 %	100 PPM
TOLUENE DIISOCYANATE (CAS # 26471-62-5) 2-PROPANOL, 1-METHOXY, ACETATE (CAS # 108-65-6)	< 1% 1- 5 %	.005 PPM 100 PPM
THIS PRODUCT CONTAINS TOLUENE DIISOCYANATE WHICH IS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF SARA. THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.		
HEALTH 1	FLAMMABILITY 1	REACTIVITY 1
III. PHYSICAL DATA		
Boiling Point (°F) 280 - 370° F	Specific Gravity (H ₂ O = 1) 1.2	
Vapor Pressure (mm Hg.) ND	Percent Volatile by Volume (%) ND	
Vapor Density (Air = 1) > AIR	Evaporation Rate (ETHER= 1) SLOWER	
Solubility in Water NEGLIGIBLE	ⁿ H N/A	
Appearance & Odor VISCIOUS LIQUID WITH TYPICAL SOLVENT ODOR.		
IV. FIRE & EXPLOSION HAZARD DATA		
Flash Point (Test Method) 135° F T.C.C.	Auto Ignition Temperature UNKNOWN	
Flammable Limits LOWER: 1.5% UPPER 12.0%	LEL UNKNOWN	UEL UNKNOWN
Extinguishing Media: CO ₂ , FOAM, DRY CHEMICAL		
Special Fire Fighting Procedures: WEAR NIOSH / MSHA APPROVED RESPIRATORS		
Unusual Fire & Explosion Hazards: VAPORS MAY BE IGNITED BY HIGH ENERGY IGNITION SOURCES. DECOMPOSES WITH FIRE TO RELEASE HYDROCHLORIC ACID AS A GAS PLUS OTHER TOXIC AND IRRITATING VAPORS. IF CONTAINERS ARE EXPOSED TO EXCESSIVE HEAT, THEY MAY BURST.		

V. Health Hazard Data

OSHA Permissible Exposure Limit SEE SECTION II	ACGIH Threshold Limit Value SEE SECTION II
Carcinogen – NTP Program NO	Carcinogen – IARC Program NO
Symptoms of Exposure: TOXIC BY INGESTION. CAUSES GASTROINTESTINAL IRRITATION, NAUSEA AND VOMITING. LONG TERM EXPOSURE TO SOLVENT MAY LEAD TO PERMANENT NERVOUS SYSTEM DAMAGE. INDIVIDUALS WITH PAST HISTORY OF ISOCYANATE HYPERSENSITIVITY MUST NOT BE EXPOSED TO SPRAY MISTS CONTAINING ISOCYANATES.	
Medical Conditions Aggravated By Exposure: PRECLUDE FROM EXPOSURE THOSE INDIVIDUALS HAVING A HISTORY OF ASTHMA, LUNG AND NERVOUS SYSTEM DISORDERS WHICH MAY BE AGGRAVATED BY EXPOSURE AND/OR INGESTION. ALSO PRECLUDE FROM EXPOSURE THOSE INDIVIDUALS WITH TDI SENSITIZATION OR ISOCYANATE HYPERSENSITIVITY.	
Primary Route (s) of Entry: INHALATION, SKIN CONTACT, EYE	
Emergency First Aid: EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN. SKIN: WASH PROMPTLY WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND SHOES. WASH CLOTHING BEFORE REUSE. DISCARD CONTAMINATED SHOES. INGESTION: CALL PHYSICIAN. DO NOT INDUCE VOMITING. INHALATION: REMOVE TO FRESH AIR. ARTIFICIAL RESPIRATION IF NOT BREATHING. GIVE OXYGEN.	

VI. REACTIVITY DATA

Stability	<input checked="" type="checkbox"/> Unstable	Conditions to Avoid
	<input type="checkbox"/> Stable	COMPOUND WITH STRONG OXIDIZING MATERIALS OR BASIC COMPOUND.
Incompatibility		Materials to Avoid STRONG ALKALI, STRONG OXIDIERS
Hazardous	<input type="checkbox"/> May Occur	Conditions to Avoid
Polymerization	<input checked="" type="checkbox"/> Will Not Occur	ORGANIC ACIDS SUCH AS HCL AND CO, CO ₂ , AND NOX.
Hazardous Decomposition Products:		

VII. ENVIRONMENTAL PROTECTION PROCEDURES

Spill Response: REMOVE ALL IGNITION SOURCES. STOP SPILL OR LEAK AT ONCE. ABSORB WITH OIL ABSORBING COMPOUND. PUT IN OPEN DRUMS. TREAT WITH WATER CONTAINING 1% AMMONIA. THIS PRODUCT AND INGREDIENTS HAVE BEEN REGISTERED UNDER THE TOXIC SUBSTANCE CONTROL ACT.

Waste Disposal Method: SHOVEL INTO DRUMS. INCINERATE AND/OR LAND BURIAL WHERE STATUTES PERMIT. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

VIII. SPECIAL PROTECTION INFORMATION

Eye Protection SAFETY GLASSES	Skin Protection NEOPRENE (RUBBER) GLOVES
Respiratory Protection (Specific Type) ADEQUATE VENTILATION BREATHING APPARATUS/PRESSURE HOSE MASK	Ventilation Recommended LOCAL OR MECHANICAL
Other Protection: EYE WASH FACILITY AND SAFETY SHOWER	

IX. SPECIAL PRECAUTIONS

Hygienic Practices In Handling & Storage: AVOID CONTACT WITH EYES, SKIN, CLOTHING, SHOES. WEAR SUITABLE PROTECTIVE CLOTHING. AVOID BREATHING VAPOR OR MIST. USE WITH ADEQUATE VENTILATION. DO NOT TAKE INTERNALLY. KEEP CONTAINER CLOSED. WASH THOROUGHLY WITH SOAP AND WATER AFTER USE AND BEFORE EATING. STORE AT 50-90° F., AWAY FROM DIRECT SUNLIGHT. USE WITH ADEQUATE VENTILATION.

Precautions For Repair & Maintenance of Contaminated Equipment:
SEE SECTION VI AND VII

Other Precautions: THIS PRODUCT CONTAINS TOLUENE DIISOCYANATE WHICH IS SUBJECT TO THE ANNUAL REPORTING REQUIREMENTS UNDER SECTION 313 OF SARA, TITLE III. CONTACT THE EPA FOR INFORMATION REGARDING THE REPORTING REQUIREMENTS. AVOID PROLONGED BREATHING OF VAPORS AND CONTACT WITH EYES AND SKIN.

KEEP OUT OF REACH OF CHILDREN!!!!