

Material Safety Data Sheet

Date last revised JANUARY, 2004

I. GENERAL INFORMATION		
Chemical Name & Synonyms AROMATIC ISOCYANATE	Trade Name & Synonyms DYNATRED ACTIVATOR	
Chemical Family URETHANE	Formula MIXTURE	
Proper DOT Shipping CAULKING COMPOUND	DOT Hazard Classification N/A	
Manufacturer PECORA CORPORATION	Manufacturer's Phone Number 215-723-6051	
Manufacturer's Address 165 Wambold Road, Harleysville, PA 19438	Chemtrec Phone Number 800-424-9300	
II. INGREDIENTS		
Principal Hazardous Components TOLUENE DIISOCYANATE (CAS # 26471-62-5)	Percent < 5	Threshold Limit Value (Units) 0.02 PPM PEL
URETHANE PREPOLYMER (CAS # 1321-38-6)	> 95	NOT ESTABLISHED
MERCURY CATALYST (CAS # 26545-49-3)	<.04	.1 Mg/M ³
THIS PRODUCT CONTAINS TOLUENE DIISOCYANATE WHICH IS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF SARA. THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.		
HEALTH 3	FLAMMABILITY 1	REACTIVITY 2
III. PHYSICAL DATA		
Boiling Point (°F) 484° F. (TDI)	Specific Gravity (H ₂ O = 1) 1.05	
Vapor Pressure (mm Hg.) 0.025 @ 77° F. (TDI)	Percent Volatile by Volume (%) NEGLIGIBLE	
Vapor Density (Air = 1) 6.0 TDI	Evaporation Rate (ETHER= 1) SLOWER	
Solubility in Water INSOLUBLE	pH N/A	
Appearance & Odor CLEAR, LIGHT YELLOW LIQUID – TDI ODOR		
IV. FIRE & EXPLOSION HAZARD DATA		
Flash Point (Test Method) > 200° F.	Auto Ignition Temperature UNKNOWN	
Flammable Limits UNKNOWN	LEL UNKNOWN	UEL UNKNOWN
Extinguishing Media: DRY CHEMICAL, WATER FOG, FOAM AND CARBON DIOXIDE		
Special Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS SHOULD BE WORN WHEN FIGHTING FIRE INVOLVING CHEMICALS.		
Unusual Fire & Explosion Hazards: AT TEMPERATURES GREATER THAN 350° F. (177° C.), TDI FORMS CARBODIIMIDES WITH THE RELEASE OF CO ₂ WHICH CAN CAUSE PRESSURE BUILD UP IN CLOSED CONTAINERS. USE COLD WATER TO COOL FIRE-EXPOSED CONTAINERS.		

V. Health Hazard Data

OSHA Permissible Exposure Limit SEE SECTION II	ACGIH Threshold Limit Value SEE SECTION II
Carcinogen – NTP Program TDI	Carcinogen – IARC Program TDI
Symptoms of Exposure: NO ILL EFFECTS REPORTED IN THE NORMAL USE OF THIS COMPOUND. INHALATION OF VAPORS MAY CAUSE IRRITATION TO LUNGS AND PULMONARY EDEMA MAY OCCUR AFTER SERIOUS VAPOR EXPOSURE. PULMONARY SENSITIZATION CAN OCCUR IN SOME INDIVIDUALS.	
Medical Conditions Aggravated By Exposure: PRECLUDE FROM EXPOSURE THOSE INDIVIDUALS HAVING A HISTORY OF RESPIRATORY ILLNESS, ASTHMATIC CONDITIONS, EYE DAMAGE AND TDI SENSITIZATION.	
Primary Route (s) of Entry: DERMAL AND INHALATION	
Emergency First Aid: SKIN: WASH WITH SOAP AND WATER. INHALATION: MOVE TO FRESH AIR. AID BREATHING, IF NECESSARY. EYES: FLUSH WITH WATER FOR 15 MINUTES. INGESTION: OBTAIN IMMEDIATE MEDICAL ATTENTION.	

VI. REACTIVITY DATA

Stability		Unstable	Conditions to Avoid HIGH TEMPERATURES
	X	Stable	
Incompatibility			Materials to Avoid WATER OR MOISTURE AND ANY OTHER PRODUCTS THAT REACT WITH ISOCYANATES.
Hazardous		May Occur	Conditions to Avoid HIGH TEMPERATURES AND CONTACT WITH MOISTURE
Polymerization	X	Will Not Occur	
Hazardous Decomposition Products: TDI VAPORS, OXIDES OF NITROGEN, CO AND HCN			

VII. ENVIRONMENTAL PROTECTION PROCEDURES

Spill Response: SCRAPE UP AND PLACE IN CONTAINERS. ALLOW TO HARDEN IN OPEN CONTAINERS. CO₂ WILL BE EVOLVED. FINISH CLEANING AREA WITH A SOLVENT SUCH AS CELLOSOLVE ACETATE. FOLLOW SOLVENT MANUFACTURER'S PRECAUTIONS.

Waste Disposal Method: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

VIII. SPECIAL PROTECTION INFORMATION

Eye Protection GLASSES OR GOGGLES	Skin Protection NEOPRENE GLOVES, IF NECESSARY
Respiratory Protection (Specific Type) NIOSH ORGANIC VAPOR RESPIRATOR FOR CONFINED AREA	Ventilation Recommended LOCAL OR MECHANICAL
Other Protection: BARRIER SKIN CREAM	

IX. SPECIAL PRECAUTIONS

Hygienic Practices In Handling & Storage: WASH HANDS AFTER USE AND BEFORE EATING OR SMOKING. STORE IN UNOPENED CONTAINERS AT OR BELOW 80° F. (27° C.) TO PROLONG LIFE.

Precautions For Repair & Maintenance of Contaminated Equipment:
SEE SECTIONS VI AND VIII

Other Precautions: THIS PRODUCT CONTAINS DIISOCYANATES. AVOID PROLONGED BREATHING OF VAPORS AND CONTACT WITH EYES AND SKIN. FOR COMMERCIAL USE.

KEEP OUT OF REACH OF CHILDREN!!!!