



LEED Certification Data

RE: Pecora-Deck 800 FC Fast Cure, Reduced VOC Pedestrian and Vehicular Deck Coating System LEED® Contributions

To Whom It May Concern:

We at Pecora are totally committed to developing customer-valued adhesive, sealant and waterproofing solutions. Our focus is directed toward continuous improvement, superior quality and exceptional service.

Pecora Technical Services has developed the [Pecora Green Building/LEED Guide](#) to communicate how Pecora weatherproofing products may form part of a comprehensive strategy to contribute points toward earning various LEED prerequisites and credits. Pecora-Deck 800 FC Deck Coating System satisfies LEED criteria and can help contribute toward earning the following LEED credits:

LEED v2.2 for New Construction, Core & Shell, Schools (v2007)

EQ Credit 4.1, Low-Emitting Materials: Adhesives & Sealants: Pecora-Deck 800 FC Deck Coating System components, individually and combined, fall below the 50 g/L VOC limit set by SCAQMD Rule #1113 (2004) for architectural coatings and therefore, meet the criteria that satisfy this credit:

Pecora-Deck 802 FC Base Coat:	<1 g/L
Pecora-Deck 804 FC Intermediate Coat	<1 g/L
Pecora-Deck 806 FC Top Coat	<50 g/L

LEED 2009 (v3) for New Construction, Core & Shell, Schools

LEED NC and CS IEQ Credit 4.1, Low-Emitting Materials: Adhesives & Sealants: Pecora-Deck 800 FC Deck Coating System components, individually and combined, fall below the 50 g/L VOC limit set by SCAQMD Rule #1113 (2004) for architectural coatings and therefore, meet the criteria that satisfy this credit:

Pecora-Deck 802 FC Base Coat:	<1 g/L
Pecora-Deck 804 FC Intermediate Coat	<1 g/L
Pecora-Deck 806 FC Top Coat	<50 g/L

LEED for Schools IEQ Credit 4.1, Low-Emitting Materials: Adhesives & Sealants: Components of Pecora-Deck 800 FC Deck Coating System have not been tested in accordance with the product requirements of the California Department of Health Services *Standard Practice for the Testing of Volatile Organic Emissions from Various Sources Using Small-Scale Environmental Chambers* including 2004 Addenda.

Alternative Compliance Path: Compliance with LEED 2009 for New Construction IEQ Credit 4.1 may be substituted for LEED for Schools IEQ Credit 4.1; therefore Pecora-Deck 800 FC Deck Coating System meets the criteria that satisfy this credit.

'USGBC' and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.





LEED v4 for New Construction, Core and Shell, Schools, Retail, Data Centers, Warehouses and Distribution Centers, Hospitality, Healthcare

EQ Credit Low-Emitting Materials:

Option 1 Product Category Calculations and Option 2 Budget Calculation Method: At this time, the components of Pecora-Deck 800 FC Deck Coating System don't have a manufacturer's declaration or a third-party certification demonstrating compliance with California Department of Public Health Standard Method v1.1-2010; therefore compliance with the emissions threshold listed in Table 1 cannot be determined.

The following points apply to Materials and Resources (MR) Credits in all versions of LEED:

Recycled Content (MR Credit 4.1 and 4.2): Pecora-Deck 800 FC Deck Coating System contains 0% recycled content.

Regional Materials (MR Credit 5.1 and 5.2): Pecora-Deck 800 FC Deck Coating System is manufactured in Pittsburg, KS 66763. Due to the complex nature of the raw material supply chain, the point source of extraction, harvest, and recovery of the material ingredients is variable and cannot be accurately determined. This is the extent product information that can be disclosed.

Material Ingredients: Pecora-Deck 800 FC Deck Coating System does not contain asbestos, formaldehyde, lead, or PCB as part of its product formulation.

Should you have any questions or require additional information, please do not hesitate to contact me at 215-799-7553.

Sincerely,

Steven T. Lawrey AIA, CSI, CCS, CCCA, LEED AP
Building Science Engineer
Pecora Corporation

'USGBC' and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.

