



Green Building Certification Data

January 22, 2016

RE: Pecora 864NST Non-Staining, Low Modulus Architectural Silicone Sealant

This will certify the following information for Pecora 864NST:

LEED® 2009 and LEED® v4:

MR Credit 4.1 and 4.2, Recycled Content (*BPDO-Sourcing of Raw Materials, Option 2): For the purposes of the LEED Rating System, Pecora 864NST contains 0% recycled content.

MR Credit 5.1 and 5.2, Regional Materials (*BPDO-Sourcing of Raw Materials, Options 1 and 2): Pecora 864NST is manufactured in Harleysville, PA 19438. Due to the complexity of its raw material supply chain, the point source of Pecora 864NST's material ingredients cannot be determined.

IEQ Credit 4.1, Low-Emitting Materials–Adhesives & Sealants (*Low-Emitting Mat'ls., Option 2): Pecora 864NST contains 98 g/L volatile organic compound (VOC) content, well below the 250 g/L VOC limit set by South Coast Air Quality Management District (SCAQMD) Rule 1168 (effective 7/1/2005) for architectural sealants.

*LEED v4 credits and options

LEED® 2009 for Schools IEQ Credit 4.1, Low-Emitting Materials–Adhesives & Sealants:

Alternative Compliance Path: Conformance with LEED® 2009 for New Construction IEQ Credit 4.1 (above) may be substituted for meeting LEED® 2009 for Schools IEQ Credit 4.1 VOC emissions testing requirements; therefore Pecora 864NST will help project teams satisfy this credit.

LEED® v4 for New Construction, Core and Shell, Schools, Retail, Data Centers, Warehouses and Distribution Centers, Hospitality, Healthcare

EQ Credit Low-Emitting Materials: At this time, Pecora 864NST does not have third-party certification demonstrating compliance with the VOC emissions testing requirements of California Department of Public Health Standard Method v1.1-2010 (California Specification 01350).

Green Globes for New Construction

Criterion 7.2.1 Volatile Organic Compounds: Pecora 864NST contains 98 g/L volatile organic compound (VOC), well below the 250 g/L VOC limit set by South Coast Air Quality Management District (SCAQMD) Rule 1168 for architectural sealants.

'USGBC' and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.





Should you require additional information, please contact the Technical Services Dept. at 1-800-355-8817 or techservices@pecora.com.

Sincerely,

A handwritten signature in black ink that reads 'Steven T. Lawrey'.

Steven T. Lawrey AIA, CSI, CCS, CCCA, LEED® AP
Building Science Engineer
Pecora Corporation

'USGBC' and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.

