



Green Building Certification Data

RE: Pecora 895NST Structural Silicone Glazing & Waterproofing Sealant

December 1, 2015

To Whom It May Concern:

This will certify the following information for Pecora 895NST.

LEED® 2009 and LEED® v4:

MR Credit 4.1 and 4.2, Recycled Content (*BPDO-Sourcing of Raw Materials, Option 2): For the purposes of the LEED Rating System Pecora 895NST contains 0% recycled content.

MR Credit 5.1 and 5.2, Regional Materials (*BPDO-Sourcing of Raw Materials, Options 1 and 2): Pecora 895NST is manufactured in Harleysville, PA 19438. Due to the complexity of its raw material supply chain, the point source of Pecora 895NST's material ingredients cannot be determined.

IEQ Credit 4.1, Low-Emitting Materials–Adhesives & Sealants (*Low-Emitting Mat'ls., Option 2): Pecora 895NST contains 100 g/L volatile organic compound (VOC) content, well below the 250 g/L VOC limit set by South Coast Air Quality Management District (SCAQMD) Rule 1168 (effective 7/1/2005) for architectural sealants.

*LEED v4 credits and options

LEED® 2009 for Schools IEQ Credit 4.1, Low-Emitting Materials–Adhesives & Sealants:

Alternative Compliance Path: Conformance with LEED® 2009 for New Construction IEQ Credit 4.1 (above) may be substituted for meeting LEED® 2009 for Schools IEQ Credit 4.1 VOC emissions testing requirements; therefore Pecora 895NST will help project teams satisfy this credit.

LEED® v4 for New Construction, Core and Shell, Schools, Retail, Data Centers, Warehouses and Distribution Centers, Hospitality, Healthcare

EQ Credit Low-Emitting Materials, Options 1 and 2: At this time there is no available documentation demonstrating compliance of Pecora 895NST with California Department of Public Health Standard Method v1.1-2010 (CA Specification 01350).

Green Globes for New Construction

Criterion 7.2.1 Volatile Organic Compounds: Pecora 895NST contains 100 g/L volatile organic compound (VOC), well below the 250 g/L VOC limit set by South Coast Air Quality Management District (SCAQMD) Rule 1168 for architectural sealants.

Living Building ChallengeSM 3.0

Imperative 08 Healthy Interior Environment: At this time there is no available documentation demonstrating compliance of Pecora 895NST with California Department of Public Health Standard Method v1.1-2010 (CA Specification 01350). Pecora is committed making this information available to its customers.

'USGBC' and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.





Imperative 10 Red List: The ingredients used to manufacture Pecora 895NST are listed on its Globally Harmonized Safety Data Sheet (GHS SDS) together with its VOC content. Pecora 895NST, its raw materials to 99%, including proprietary ingredients, does not contain any chemicals that appear on “Living Building Challenge 3.0 Chemical Red List” in accordance with Living Building Challenge Imperative 10.

'USGBC' and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.





Should you require additional information, please contact the Technical Services Dept. at 1-800-355-8817 or techservices@pecora.com.

Sincerely,

A handwritten signature in black ink that reads 'Steven T. Lawrey'.

Steven T. Lawrey AIA, CSI, CCS, CCCA, LEED® AP
Building Science Engineer
Pecora Corporation

'USGBC' and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.

