



Green Building Certification Data

September 9, 2015

RE: Pecora AIS-919 Acoustical and Insulation Latex Sealant

This will certify the following information for Pecora AIS-919:

LEED® 2009 and LEED® v4:

MR Credit 4.1 and 4.2, Recycled Content (*BPDO-Sourcing of Raw Materials, Option 2): For the purposes of the LEED Rating System Pecora AIS-919 contains 0% recycled content.

MR Credit 5.1 and 5.2, Regional Materials (*BPDO-Sourcing of Raw Materials, Options 1 and 2): Pecora AIS-919 is manufactured in Harleysville, PA 19438. Due to the complexity of its raw material supply chain, the point source of Pecora AIS-919's material ingredients cannot be determined.

IEQ Credit 4.1, Low-Emitting Materials–Adhesives & Sealants (*Low-Emitting Mat'ls., Option 2): Pecora AIS-919 contains 31 g/L volatile organic compound (VOC) content, well below the 250 g/L VOC limit set by South Coast Air Quality Management District (SCAQMD) Rule 1168 (effective 7/1/2005) for architectural sealants.

*LEED v4 credits and options

LEED® 2009 for Schools IEQ Credit 4.1, Low-Emitting Materials–Adhesives & Sealants:

Alternative Compliance Path: Conformance with LEED® 2009 for New Construction IEQ Credit 4.1 (above) may be substituted for meeting LEED® 2009 for Schools IEQ Credit 4.1 VOC emissions testing requirements; therefore Pecora AIS-919 will help project teams satisfy this credit.

LEED® v4 for New Construction, Core and Shell, Schools, Retail, Data Centers, Warehouses and Distribution Centers, Hospitality, Healthcare

EQ Credit Low-Emitting Materials, Options 1 and 2: At this time there is no available documentation demonstrating compliance of Pecora AIS-919 with California Department of Public Health Standard Method v1.1-2010 (CA Specification 01350). Pecora is committed making this information available to its customers.

Green Globes for New Construction

Criterion 7.2.1 Volatile Organic Compounds: Pecora AIS-919 contains 31 g/L volatile organic compound (VOC), well below the 250 g/L VOC limit set by South Coast Air Quality Management District (SCAQMD) Rule 1168 for architectural sealants.

'USGBC' and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.





Living Building ChallengeSM 3.0

Imperative 08 Healthy Interior Environment: At this time there is no available documentation demonstrating compliance of Pecora *AIS-919* with California Department of Public Health Standard Method v1.1-2010 (CA Specification 01350). Pecora is committed making this information available to its customers.

Imperative 10 Red List: None of the chemicals listed on the “Living Building Challenge 3.0 Chemical Red List” are used in the manufacture of Pecora *AIS-919*. Based on Pecora’s current knowledge of its raw materials and manufacturing processes, there is no reason to expect that the listed chemicals would be present in Pecora *AIS-919* as supplied, except as a possible trace impurity.

Should you require additional information, please contact the Technical Services Dept. at 1-800-355-8817 or techservices@pecora.com.

Sincerely,

Steven T. Lawrey AIA, CSI, CCS, CCCA, LEED® AP
Building Science Engineer
Pecora Corporation

'USGBC' and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.

