



# Green Building Certification Data

September 9, 2015

**RE: Pecora AVW-920 AAMA Approved High Performance Acrylic Latex**

This will certify the following information for Pecora AVW-920:

## LEED® 2009 and LEED® v4:

**MR Credit 4.1 and 4.2, Recycled Content (\*BPDO-Sourcing of Raw Materials, Option 2):** For the purposes of the LEED Rating System Pecora AVW-920 contains 0% recycled content.

**MR Credit 5.1 and 5.2, Regional Materials (\*BPDO-Sourcing of Raw Materials, Options 1 and 2):** Pecora AVW-920 is manufactured in Harleysville, PA 19438. Due to the complexity of its raw material supply chain, the point source of Pecora AVW-920's material ingredients cannot be determined.

**IEQ Credit 4.1, Low-Emitting Materials–Adhesives & Sealants (\*Low-Emitting Mat'ls., Option 2):** Pecora AVW-920 contains 15 g/L volatile organic compound (VOC) content, well below the 250 g/L VOC limit set by South Coast Air Quality Management District (SCAQMD) Rule 1168 (effective 7/1/2005) for architectural sealants.

\*LEED v4 credits and options

## LEED® 2009 for Schools IEQ Credit 4.1, Low-Emitting Materials–Adhesives & Sealants:

**Alternative Compliance Path:** Conformance with LEED® 2009 for New Construction IEQ Credit 4.1 (above) may be substituted for meeting LEED® 2009 for Schools IEQ Credit 4.1 VOC emissions testing requirements; therefore Pecora AVW-920 will help project teams satisfy this credit.

## LEED® v4 for New Construction, Core and Shell, Schools, Retail, Data Centers, Warehouses and Distribution Centers, Hospitality, Healthcare

**EQ Credit Low-Emitting Materials, Options 1 and 2:** At this time there is no available documentation demonstrating compliance of Pecora AVW-920 with California Department of Public Health Standard Method v1.1-2010 (CA Specification 01350). Pecora is committed making this information available to its customers.

## Green Globes for New Construction

**Criterion 7.2.1 Volatile Organic Compounds:** Pecora AVW-920 contains 15 g/L volatile organic compound (VOC), well below the 250 g/L VOC limit set by South Coast Air Quality Management District (SCAQMD) Rule 1168 for architectural sealants.

'USGBC' and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.





**Living Building Challenge<sup>SM</sup> 3.0**

**Imperative 08 Healthy Interior Environment:** At this time there is no available documentation demonstrating compliance of Pecora AVW-920 with California Department of Public Health Standard Method v1.1-2010 (CA Specification 01350).

**Imperative 10 Red List:** None of the chemicals listed on the “Living Building Challenge 3.0 Chemical Red List” are used in the manufacture of Pecora AVW-920. Based on Pecora’s current knowledge of its raw materials and manufacturing processes, there is no reason to expect that the listed chemicals would be present in Pecora AVW-920 as supplied, except as a possible trace impurity.

Should you require additional information, please contact the Technical Services Dept. at 1-800-355-8817 or [techservices@pecora.com](mailto:techservices@pecora.com).

Sincerely,

A handwritten signature in black ink that reads 'Steven T. Lawrey'.

Steven T. Lawrey AIA, CSI, CCS, CCCA, LEED® AP  
Building Science Engineer  
Pecora Corporation

'USGBC' and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.

