



Green Building Certification Data

RE: Pecora PCS, Pecora Contractor Silicone

September 25, 2015

To Whom It May Concern:

This will certify the following information for Pecora PCS.

LEED® 2009 and LEED® v4:

MR Credit 4.1 and 4.2, Recycled Content (*BPDO-Sourcing of Raw Materials, Option 2): For the purposes of the LEED Rating System Pecora PCS contains 0% recycled content.

MR Credit 5.1 and 5.2, Regional Materials (*BPDO-Sourcing of Raw Materials, Options 1 and 2): Pecora PCS is manufactured in Harleysville, PA 19438. Due to the complexity of its raw material supply chain, the point source of Pecora PCS's material ingredients cannot be determined.

IEQ Credit 4.1, Low-Emitting Materials–Adhesives & Sealants (*Low-Emitting Mat'ls., Option 2): Pecora PCS contains 50 g/L volatile organic compound (VOC) content, well below the 250 g/L VOC limit set by South Coast Air Quality Management District (SCAQMD) Rule 1168 (effective 7/1/2005) for architectural sealants.

*LEED v4 credits and options

LEED® 2009 for Schools IEQ Credit 4.1, Low-Emitting Materials–Adhesives & Sealants:

Alternative Compliance Path: Conformance with LEED® 2009 for New Construction IEQ Credit 4.1 (above) may be substituted for meeting LEED® 2009 for Schools IEQ Credit 4.1 VOC emissions testing requirements; therefore Pecora PCS will help project teams satisfy this credit.

LEED® v4 for New Construction, Core and Shell, Schools, Retail, Data Centers, Warehouses and Distribution Centers, Hospitality, Healthcare

EQ Credit Low-Emitting Materials, Options 1 and 2: At this time there is no available documentation demonstrating compliance of Pecora PCS with California Department of Public Health Standard Method v1.1-2010 (CA Specification 01350).

Green Globes for New Construction

Criterion 7.2.1 Volatile Organic Compounds: Pecora PCS contains 50 g/L volatile organic compound (VOC), well below the 250 g/L VOC limit set by South Coast Air Quality Management District (SCAQMD) Rule 1168 for architectural sealants.

'USGBC' and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.





Should you require additional information, please contact the Technical Services Dept. at 1-800-355-8817 or techservices@pecora.com.

Sincerely,

A handwritten signature in black ink that reads 'Steven T. Lawrey'.

Steven T. Lawrey AIA, CSI, CCS, CCCA, LEED® AP
Building Science Engineer
Pecora Corporation

'USGBC' and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.

