

Pecora NST Non-Staining Technology™ Silicone Sealants and Pecora PCS (Pecora Contractor Silicone) by Pecora Corporation

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1168945380352

CLASSIFICATION: 07 92 00 Joint Sealants

PRODUCT DESCRIPTION: Non-staining silicone and silicone architectural joint sealants for sealing moving exterior and interior building joints in vertical and horizontal traffic and nontraffic surfaces. Applications include control and expansion joints in architectural precast concrete units, unit masonry, dimension stone and tile cladding, EIFS, metal and composite wall panels, and fiber cement siding, plus joints between the different preceding materials and perimeters of windows, doors, and louvers. Non-staining products include: Pecora 890NST Ultra-Low Modulus Silicone Sealant (Movement Class 100/50), Pecora 890FTS & 890FTS-TXTR Field Tintable Silicone Sealant - Smooth & Textured Formulations (Movement Class 100/50 & 50, respectively), Pecora 895NST Structural Silicone Glazing and Weatherproofing Silicone Sealant (Movement Class 50), Pecora 864NST Low Modulus Silicone Sealant (Movement Class 50), and Pecora 898NST Sanitary Mildew Resistant Silicone Sealant (Movement Class 50). Pecora's NST Non-staining Technology silicone sealants are formulated to eliminate the free silicone fluid molecules that migrate into porous cladding materials, run down the face of nonporous panels, and cause unsightly staining that is both costly and time-consuming to remediate. Pecora PCS (Pecora Contractor Silicone) architectural silicone sealant is also covered by the HPD.

Section 1: Summary Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
☐ Nested Materials Method	☐ 100 ppm	☒ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☒ 1,000 ppm	☐ Partially Completed	Provided weight and role.
Threshold Disclosed Per	☐ Per GHS SDS	☐ Not Completed	Screened ☒ Yes ☐ No
☐ Material	☐ Other	Explanation(s) provided :	Provided screening results using HPDC-approved methods.
☒ Product		☒ Yes ☐ No	Identified ☐ Yes ☒ No
			Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PECORA NST NON-STAINING TECHNOLOGY™ SILICONE SEALANTS AND PECORA PCS (PECORA CONTRACTOR SILICONE) [SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED BM-2 | EYE UNDISCLOSED SUBSTANCE BM-3dg FLY ASH LT-UNK UNDISCLOSED SUBSTANCE LT-UNK AQUAFIL BM-1 NAPHTHA, PETROLEUM, HEAVY ALKYLATE LT-1 | CAN | MUL | GEN | MAM | SKI | EYE UNDISCLOSED SUBSTANCE BM-2 2-BUTANONE, 2,2',2''-(O,O',O''-(METHYLSILYLIDYNE)TRIOXIME) LT-P1 | MUL DIETHYLENE GLYCOL LT-P1 | END | MAM | REP CARBON BLACK BM-1 | CAN | EYE | MAM | PHY UNDISCLOSED SUBSTANCE BM-1 | CAN | MAM | GEN FATTY ACIDS, C16-18 LT-UNK DODECAMETHYLCYCLOHEXASILOXANE (D6) BM-1 | PBT STEARIC ACID LT-P1 | END UNDISCLOSED SUBSTANCE LT-UNK DECAMETHYLCYCLOPENTASILOXANE (D5) BM-1 | END | PBT MOISTURE BM-4 3-(2-(2-AMINOETHYL)ETHYLAMINO)PROPYLTRIMETHOXYSILANE LT-UNK OCTAMETHYLCYCLOTETRAASILOXANE BM-1 | END | PBT | MUL | AQU | REP BUTAN-2-ONE O,O,O,O-SILANETETRAYLTETRAOXIME NoGS |

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Pecora worked with the HPDC Approved Preparer to confirm that all intentionally added ingredients, residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 98 Regulatory (g/l): 250

Does the product contain exempt VOCs: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- ☐ Yes
- ☒ No

PREPARER: ToxServices LLC
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2024-01-02
PUBLISHED DATE: 2024-04-18
EXPIRY DATE: 2027-01-02

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

PECORA NST NON-STAINING TECHNOLOGY™ SILICONE SEALANTS AND PECORA PCS (PECORA CONTRACTOR SILICONE)

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes
RESIDUALS AND IMPURITIES NOTES: Pecora worked with the HPDC Approved Preparer to confirm that all intentionally added ingredients, residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.	
OTHER PRODUCT NOTES:	

SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATEDID: 70131-67-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-12 8:54:41	
%: 37.8879 - 60.7587	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: Percentage range is greater than 20% due to varying use level of the raw material containing this substance across multiple products covered by this HPD.

The GreenScreen® Benchmark assessment score of BM-2 was provided through the HPD 2.3 Builder Tool.

UNDISCLOSED SUBSTANCEID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-02 10:41:05	
%: 19.3829 - 51.6458	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.

The GreenScreen® Benchmark assessment score of BM-3dg was provided through the HPD 2.3 Builder Tool.

FLY ASH

ID: 68131-74-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-02 10:41:05	
%: 0.0000 - 6.5374	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

UNDISCLOSED SUBSTANCE

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-02 10:41:05	
%: 0.0000 - 6.1261	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.				

AQUAFIL

ID: 112945-52-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-02 10:41:05	
%: 2.5492 - 3.9844	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Sealant
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: The GreenScreen® Benchmark assessment score of BM-1 was provided through the HPD 2.3 Builder Tool.		

NAPHTHA, PETROLEUM, HEAVY ALKYLATE

ID: 64741-65-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-02 10:41:05	
%: 0.0000 - 3.4500	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence		
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
GEN	EU - Annex VI CMRs	Mutagen - Category 1B		
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]		
GEN	GHS - Australia	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]		
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]		
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]		
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B		
GEN	EU - REACH Annex XVII CMRs	Germ cell mutagens: Category 1B		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
SUBSTANCE NOTES:		

UNDISCLOSED SUBSTANCE

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-02 10:41:05	
%: 1.9801 - 3.4460	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance		

SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.

The GreenScreen® Benchmark assessment score of BM-2 was provided through the HPD 2.3 Builder Tool.

2-BUTANONE, 2,2',2''-(O,O',O''-(METHYLSILYLIDYNE)TRIOXIME)

ID: **22984-54-9**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-02 10:41:05	
%: 0.0000 - 3.2764	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

DIETHYLENE GLYCOL

ID: 111-46-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-02 10:41:05

%: 0.0000 - 2.0085 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES:

CARBON BLACK

ID: 1333-86-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-02 10:41:06

%: 0.0000 - 1.4580 GreenScreen: BM-1 RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2b - Possibly carcinogenic to humans
EYE	GHS - New Zealand	Eye irritation category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The GreenScreen® Benchmark assessment score of BM-1 was provided through the HPD 2.3 Builder Tool.

UNDISCLOSED SUBSTANCE

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-02 10:41:06	
%: 0.0000 - 0.8238	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.

The GreenScreen® Benchmark assessment score of BM-1 was provided through the HPD 2.3 Builder Tool.

FATTY ACIDS, C16-18

ID: 67701-03-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-02 10:41:06	
%: 0.0000 - 0.4833	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

DODECAMETHYLCYCLOHEXASILOXANE (D6)

ID: 540-97-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-03-12 8:53:41

%: 0.0834 - 0.4800 GreenScreen: BM-1 RC: None NANO: No SUBSTANCE ROLE: Impurity

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBITE) to the Environment (based on aquatic organisms)
PBT	ChemSec - SIN List	PBT / vPvB (Persistent, Bioaccumulative, & Toxic / very Persistent & very Bioaccumulative)
PBT	EU - SVHC List	PBT - Candidate list
PBT	EU - SVHC List	vPvB - Candidate list
PBT	EU - SVHC List	PBT - Prioritized for listing
PBT	EU - SVHC List	vPvB - Prioritized for listing
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents

SUBSTANCE NOTES: The GreenScreen® Benchmark assessment score of BM-1 was provided through the HPD 2.3 Builder Tool.

STEARIC ACID

ID: 57-11-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-02 10:41:07

%: 0.0000 - 0.4799 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

UNDISCLOSED SUBSTANCE

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-02 10:41:07

%: 0.0000 - 0.3608 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.		

DECAMETHYLCYCLOPENTASILOXANE (D5)

ID: 541-02-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-02 10:41:06	
%: 0.0568 - 0.3038	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1		
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)		
PBT	ChemSec - SIN List	PBT / vPvB (Persistent, Bioaccumulative, & Toxic / very Persistent & very Bioaccumulative)		
PBT	EU - SVHC List	PBT - Candidate list		
PBT	EU - SVHC List	vPvB - Candidate list		
PBT	EU - SVHC List	PBT - Prioritized for listing		
PBT	EU - SVHC List	vPvB - Prioritized for listing		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Some Solvents		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Formulated Consumer Products		

SUBSTANCE NOTES: The GreenScreen® Benchmark assessment score of BM-1 was provided through the HPD 2.3 Builder Tool.

MOISTURE

ID: 7732-18-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-11 11:05:59	
%: 0.0000 - 0.2469	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety
SUBSTANCE NOTES: The GreenScreen® Benchmark assessment score of BM-4 was provided through the HPD 2.3 Builder Tool.		

3-(2-(2-AMINOETHYL)ETHYLAMINO)PROPYLTRIMETHOXYSILANE

ID: 35141-30-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-02 10:41:07	
%: 0.1440 - 0.2440	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

OCTAMETHYLCYCLOTETRAILOXANE

ID: 556-67-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-02 10:41:04	
%: 0.0341 - 0.2430	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
END	ChemSec - SIN List	Endocrine Disruption
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
PBT	ChemSec - SIN List	PBT / vPvB (Persistent, Bioaccumulative, & Toxic / very Persistent & very Bioaccumulative)
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H361f - Suspected of damaging fertility [Reproductive toxicity - Category 2]
REP	GHS - New Zealand	Reproductive toxicity category 2
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 2
REP	GHS - Australia	H361f - Suspected of damaging fertility [Reproductive toxicity - Category 2]
PBT	EU - SVHC List	PBT - Candidate list
PBT	EU - SVHC List	vPvB - Candidate list
PBT	EU - SVHC List	PBT - Prioritized for listing
PBT	EU - SVHC List	vPvB - Prioritized for listing

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
SUBSTANCE NOTES: The GreenScreen® Benchmark assessment score of BM-1 was provided through the HPD 2.3 Builder Tool.		

BUTAN-2-ONE O,O,O,O-SILANETETRAYLTETRAOXIME				ID: 34206-40-1
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-02 10:41:07	
%: 0.0000 - 0.1150	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS		CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
CERTIFYING PARTY: Third Party		ISSUE DATE: 2024-04-12 00:00:00	CERTIFIER OR LAB: Intertek Testing
APPLICABLE FACILITIES: All facilities		EXPIRY DATE:	Services NA, Inc.
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: All products conform to CDPH (California Department of Public Health) Standard Method V1.2-2017 formaldehyde and individual VOC requirements for School Classroom and Private Office Scenarios.			
VOC CONTENT		EPA Method 24 - Volatile Matter Content (EPA 24)	
CERTIFYING PARTY: Self-declared		ISSUE DATE: 2024-01-11 00:00:00	CERTIFIER OR LAB: Pecora
APPLICABLE FACILITIES: All facilities.		EXPIRY DATE:	Corporation
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: Products covered by HPD all comply with US EPA regulatory VOC standards.			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Pecora worked with the HPDC Approved Preparer to confirm that all intentionally added ingredients, residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

MANUFACTURER INFORMATION

MANUFACTURER: **Pecora Corporation**
ADDRESS: **165 Wambold Rd**
Harleysville, Pennsylvania 19438
COUNTRY: **United States**

WEBSITE: **<https://www.pecora.com/silicone-construction-sealants/>**
CONTACT NAME: **Steve Lawrey**
TITLE: **AIA, CDT, CCS, CCCA, CCPR, LEED AP, Building Science Engineer**
PHONE: **215-799-7553**
EMAIL: **lawreys@pecora.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for

