



# Green Building Certification Data

July 1, 2022

**Product:** *BC-158 One-Part Butyl Rubber Sealant*

For the purposes of the green building rating and certification systems below, Pecora certifies the following information for Pecora *BC-158*:

**General:**

**CSI Designation:** 07 92 00 Joint Sealants

**Sealant Product Category:** This product is classified as a Roofing Sealant (Nonmembrane Roof or All Other Roof Sealants) in accordance with Federal, regional, and state air quality model rules and regulations.

**LEED® v4 and v4.1:**

**MR Credit Building Product Disclosure and Optimization-Environmental Product Declarations:**

Environmental Product Declaration (EPD), Life Cycle Assessment (LCA), Health Product Declaration (HPD), or Cradle to Cradle (C2C) documentation are not available.

**MR Credit Building Product Disclosure and Optimization-Sourcing of Raw Materials:**

**Raw Material Sourcing and Extraction:** These products consist of multiple ingredients whose extraction sources are unknown to Pecora due to their variability and multilayered complexity.

**Extended Producer Responsibility:** No; product take-back is not feasible for sealants.

**Bio-based Materials:** 0% bio-based content, including wood or rapidly renewable materials.

**Recycled Content:** 0% post-consumer content and 0% pre-consumer recycled content.

**Corporate Sustainability Reports:** Unavailable from raw materials suppliers or from Pecora.

**Manufacturing Location:** Waconia, Minnesota 55387 USA.

**MR Credit Building Product Disclosure and Optimization-Material Ingredients:** Disclosure of material ingredients to 0.1% (1000 ppm) is not available.

**Indoor Environmental Quality Credit Low-Emitting Materials–Adhesives & Sealants:**

**VOC Content:** 106 g/L VOC content, below the 300 g/L limit set by referenced amendments to South Coast Air Quality Management District (SCAQMD) Rule 1168 for Roofing Sealants.

**VOC Emissions:** No data available; this product has not been tested per CDPH Standard Method v1.2.

**Green Globes® for New Construction 2021**

**Criterion 6.2.1.1 (ANSI 11.2.1.1) Volatile Organic Compounds:**

**VOC Content:** 106 g/L volatile organic compound (VOC) content, below the 300 g/L limit established by the South Coast Air Quality Management District (SCAQMD) Rule 1168 (October 6, 2017) for All Other Roof Sealants.

**VOC Emissions:** No data available; this product has not been tested per CDPH Standard Method v1.2.

**Living Building Challenge<sup>SM</sup> 3.0**

**Imperative 10 Healthy Interior Performance:** This product has not been tested per CDPH SM v1.2

**Imperative 12 Responsible Materials:** An ILFI *Declare* Label is not available for either product.

'USGBC' and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.





**Imperative 13 Red List:** None of the chemicals listed on the March 2022 CAS Red List Guide are used in the manufacture of Pecora *BC-158*. Based on Pecora's current knowledge of its raw materials and manufacturing processes, there is no reason to expect that the listed chemicals would be present in the product as supplied, except as a possible trace impurity. The continued Red List conformance of this product is dependent on upstream supply chain stability and is subject to change without notice.

For further information please contact Pecora Technical Services at 800-523-6688 or [techservices@pecora.com](mailto:techservices@pecora.com).

Sincerely,

A handwritten signature in black ink that reads 'ste'.

Steven Lawrey AIA, CSI®, [CDT®](#), [CCPR™](#), [CCS®](#), [CCCA®](#), LEED® AP  
Building Science Engineer  
Pecora Corporation

'USGBC' and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.

